

AUXILIARY REQUEST 17 (AR3+AR6)

1. A composition comprising a gloss agent selected from the group consisting of ester oils, hydrocarbon oils, silicone oils, natural oils, and combinations of two or more thereof, and having a refractive index, as measured in accordance with the Standard Test Method ASTM D1218, of 1.4 or greater, an emollient film facilitator selected from the group consisting of polyglyceryl-2 tetraisostearate, polyglyceryl-2 diisostearate, polyglyceryl-2 isostearate, polyglyceryl-2 triisostearate, polyglyceryl-3 diisostearate, sucrose polysoyate, diisostearyl malate, dipentaerythrityl tri-polyhydroxystearate, and combinations of two or more thereof having a viscosity, as measured in accordance with the Standard Test Method ASTM D445, of 0.3 Pa·s (300 cPs) or greater, and a polysaccharide film-forming polymer, wherein the composition comprises a greater amount, on a weight percent basis, of emollient film facilitator than the gloss agent, wherein the weight ratio of emollient film facilitator to gloss agent is from greater than 1:1 to 7:1, and wherein the gloss agent and the emollient film facilitator are different materials.
2. The composition of claim 1 wherein the gloss agent is selected from the group consisting of isodecyl neopentanoate, isostearyl isostearate, ethylhexyl benzoate, phenethyl benzoate, PPG-3 benzyl ether myristate, hydrogenated polydecene, and combinations of two or more thereof.
3. The composition of claim 1 wherein the gloss agent has a refractive index of 1.42 or greater.
4. The composition of claim 1 wherein the emollient film facilitator has a viscosity of 1 Pa·s (1000 cPs) or greater.
5. The composition of claim 1 wherein the weight ratio of emollient film facilitator to gloss agent is from 3:1 to 7:1.
6. The composition of claim 1 wherein the film-forming polymer is selected from the group consisting of iota carrageenan gum, gellan gum, xanthan gum, kappa carrageenan gum, agar, konjac gum, and combinations of two or more thereof.
7. The composition of claim 1 wherein the film-forming polymer is selected from the group consisting of iota carrageenan gum, xanthan gum, konjac gum, and combinations of two or more thereof.